7	$\circ$
ノ	1

Notice of Allowability	Application No.	Applicant(s)	
	10/829,455	FLECHEUX, FRANCK	
	Examiner	Art Unit	
	PHILIPPE S DERAKSHANI	3754	
Th MAILING DATE of this communication appears on the cover sheet with the correspond nce addr ss All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. X This communication is responsive to application as originally filed.			
2. X The allowed claim(s) is/are <u>1-7</u> .			
3. ⊠ The drawings filed on <u>22 April 2004</u> are accepted by the Examiner.			
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority unapplication.</li> <li>a)  All b)  Some* c)  None of the: <ol> <li>Certified copies of the priority documents have</li> <li>Certified copies of the priority documents have</li> <li>Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>	been received. been received in Application No.	-	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		oly complying with the requirements	
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  (a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
<ul> <li>Attachm nt(s)</li> <li>1. ☑ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4/22/04</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	6. ☐ Interview Summa Paper No./Mail [ 8), 7. ☐ Examiner's Amer	Date  Indment/Comment  ment of Reasons for Allowance	



Application/Control Number: 10/829,455

Art Unit: 3754

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows: Abstract is shortened because it is over 150 words:

Metal housing provided with a sidewall and a neck connected to the sidewall via a shoulder, the neck being constructed and arranged for irreversible fixation to a dispensing head for perfect leaktightness to liquids. The dispensing head includes a plastic flange provided with a sealing skirt and an outer catching skirt provided with a snap-fit rim on its inner surface, wherein the neck has a wall and the shoulder has a wall, both said walls being of substantially the same thickness as the sidewall.

The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Figure 1 has been labeled prior art. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.



Application/Control Number: 10/829,455

Art Unit: 3754

Any inquiry concerning this communication or earlier communications from the examiner should be directed to PHILIPPE S DERAKSHANI whose telephone number is 571-272-4925. The examiner can normally be reached on 8 hour days.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Y Mar can be reached on 571-272-4906. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PHILIPPE S DERAKSHANI Primary Examiner Art Unit 3754

1-10-05

PD 1/10/05